

2004 Spring Wheat Regional Trial Summary - Cornell University

Entry	Grain Yield (kg/h)				Mean	b/a	Rank	Test Weight (kg/hl)					lb/b	Lodging		Height	Head Date
	lth-McG	lth-Ket	lth-Hel	GenCo				lth-McG	lth-Ket	lth-Hel	GenCo	Mean		lth-McG	GenCo		
1 AC Barrie	2412	1498	2768	1654	2083	31.0	5	72.5	71.3	73.4	70.8	72.0	55.8	1.3	0.7	92	6/22
2 Profit	2674	1931	3209	1666	2370	35.2	2	71.8	70.2	71.5	69.0	70.7	54.8	0.0	0.0	70	6/20
3 Granite	2664	1456	3103	1336	2140	31.8	4	76.5	73.3	76.3	70.9	74.2	57.6	0.0	0.0	77	6/22
4 Sable	3154	1804	3638	1900	2624	39.0	1	74.4	73.1	74.5	72.0	73.5	57.0	0.0	0.0	80	6/20
5 CM 1248	2703	1780	3324	1581	2347	34.9	3	75.4	74.5	75.7	72.1	74.4	57.7	2.7	0.7	85	6/20
6 Snowbird	1870	1245	2745	1641	1875	27.9	6	73.7	71.4	73.1	69.3	71.9	55.7	2.3	1.0	97	6/23
7 Kanata*	1955	1259	2329	-	1848	27.5	7	72.5	70.6	72.8	71.2	71.8	55.6	0.7	0.7	93	6/25
CV	11.9	15.8	3.2	24.8													

Kanata* planted at 50g/plot and only 3 locations

M. E. Sorrells, D. Benscher, and G. Salm - Department of Plant Breeding - Cornell University